




- アルミ加工用ダイヤモンドコーティングドリルです。
- 高精度穴あけが可能です。

This drill coated 100% pure diamond is most suitable for Aluminum.

High precision drilling is possible.



オーダ方法 商品記号

商品記号 Code	直径 Dc	溝長 ℓ	全長 L	シャンク径 Ds	在庫 Stock
DFFD3.0	3.0	21	70	3	□
DFFD3.1	3.1	24	78	4	
DFFD3.2	3.2				
DFFD3.3	3.3				
DFFD3.4	3.4				
DFFD3.5	3.5				
DFFD3.6	3.6				
DFFD3.7	3.7	28	86	5	
DFFD3.8	3.8				
DFFD3.9	3.9				
DFFD4.0	4.0	31	86	5	
DFFD4.1	4.1				
DFFD4.2	4.2				
DFFD4.3	4.3				
DFFD4.4	4.4				
DFFD4.5	4.5				
DFFD4.6	4.6	36	95	6	
DFFD4.7	4.7				
DFFD4.8	4.8				
DFFD4.9	4.9	42	105	7	
DFFD5.0	5.0				
DFFD5.1	5.1				
DFFD5.2	5.2				
DFFD5.3	5.3				
DFFD5.4	5.4				
DFFD5.5	5.5	46	110	8	
DFFD5.6	5.6				
DFFD5.7	5.7				
DFFD5.8	5.8	49	110	8	
DFFD5.9	5.9				
DFFD6.0	6.0				
DFFD6.1	6.1				
DFFD6.2	6.2				
DFFD6.3	6.3				
DFFD6.4	6.4	53	120	9	
DFFD6.5	6.5				
DFFD6.6	6.6				
DFFD6.7	6.7	56	120	9	
DFFD6.8	6.8				
DFFD6.9	6.9				
DFFD7.0	7.0				
DFFD7.1	7.1				
DFFD7.2	7.2				
DFFD7.3	7.3	60	120	9	
DFFD7.4	7.4				
DFFD7.5	7.5				
DFFD7.6	7.6	63	120	9	
DFFD7.7	7.7				
DFFD7.8	7.8				
DFFD7.9	7.9				
DFFD8.0	8.0				
DFFD8.1	8.1				
DFFD8.2	8.2	60	120	9	
DFFD8.3	8.3				
DFFD8.4	8.4				
DFFD8.5	8.5	63	120	9	
DFFD8.6	8.6				
DFFD8.7	8.7				
DFFD8.8	8.8				
DFFD8.9	8.9				

単位 (Unit) : mm

商品記号 Code	直径 Dc	溝長 ℓ	全長 L	シャンク径 Ds	在庫 Stock
DFFD9.0	9.0	63	120	9	□
DFFD9.1	9.1	67	130	10	
DFFD9.2	9.2				
DFFD9.3	9.3				
DFFD9.4	9.4				
DFFD9.5	9.5				
DFFD9.6	9.6				
DFFD9.7	9.7	70	140	11	
DFFD9.8	9.8				
DFFD9.9	9.9				
DFFD10.0	10.0	74	140	11	
DFFD10.1	10.1				
DFFD10.2	10.2				
DFFD10.3	10.3				
DFFD10.4	10.4				
DFFD10.5	10.5				
DFFD10.6	10.6	77	150	12	
DFFD10.7	10.7				
DFFD10.8	10.8				
DFFD10.9	10.9	81	150	12	
DFFD11.0	11.0				
DFFD11.1	11.1				
DFFD11.2	11.2				
DFFD11.3	11.3				
DFFD11.4	11.4				
DFFD11.5	11.5	84	155	13	
DFFD11.6	11.6				
DFFD11.7	11.7				
DFFD11.8	11.8	88	155	13	
DFFD11.9	11.9				
DFFD12.0	12.0				
DFFD12.1	12.1				
DFFD12.2	12.2				
DFFD12.3	12.3				
DFFD12.4	12.4	91	155	13	
DFFD12.5	12.5				
DFFD12.6	12.6				
DFFD12.7	12.7	91	155	13	
DFFD12.8	12.8				
DFFD12.9	12.9				
DFFD13.0	13.0				

一般 構造用鋼	炭素鋼	合金鋼 調質鋼	タイス鋼 プリハードン鋼	高硬度鋼	
SS400	S45C S50C	SCM NAK	30~40 HRC	40~50 HRC	50~65HRC
×	×	×	×	×	×
ステンレス鋼		Ti 合金 耐熱合金	鋳鉄	アルミ合金	銅合金
SUS304 SUS316	SUS420	Ti / Ni Alloy	FC / FCD	AC / ADC	Cu
×	×	×	×	◎	○

◎:最適 Excellent ○:適用 Good ×:不適 Not Used -:推奨しません Not recommended