



REAMERS

ハイス

ハンドリーマ

ハイス

第一ツール
DAIICHI TOOL

NCr

ハンコート

NC用リーマ

コーティング

NCr Reamers



HSS-CO

TiN

許容差

刃径公差 +0.005~0

ストレート
シャンク

テーパ
シャンク

直刃

スパイラル刃

ヘリカル刃

エンド刃付

テーパ刃

用途別

ツールNo.	刃径	刃長	首下	全長	シャンク径
Tool No.	Dia. of Mill	Length of Cut	Neck Length	Overall Length	Shank Dia.
DA25063	1.95	20	—	55	3
DA25064	1.96	20	—	55	3
DA25065	1.97	20	—	55	3
DA25066	1.98	20	—	55	3
DA28268	1.985	20	—	55	3
DA25067	1.99	20	—	55	3
DA28269	1.995	20	—	55	3
DA25068	2	20	—	55	3
DA28270	2.005	20	—	55	3
DA25069	2.01	20	—	55	3
DA28271	2.015	20	—	55	3
DA25070	2.02	20	—	55	3
DA25071	2.03	20	—	55	3
DA25072	2.04	20	—	55	3
DA25073	2.05	20	—	55	3
DA25074	2.06	20	—	55	3
DA25075	2.07	20	—	55	3
DA25076	2.08	20	—	55	3
DA25077	2.09	20	—	55	3
DA25078	2.1	20	—	55	3
DA25079	2.11	20	—	55	3
DA25080	2.12	20	—	55	3
DA25081	2.13	20	—	60	3
DA25082	2.14	20	—	60	3
DA25083	2.15	20	—	60	3
DA25084	2.16	20	—	60	3
DA25085	2.17	20	—	60	3
DA25086	2.18	20	—	60	3
DA25087	2.19	20	—	60	3
DA25088	2.2	20	—	60	3
DA25089	2.21	20	—	60	3
DA25090	2.22	20	—	60	3
DA25091	2.23	20	—	60	3
DA25092	2.24	20	—	60	3
DA25093	2.25	20	—	60	3
DA25094	2.26	20	—	60	3
DA25095	2.27	20	—	60	3
DA25096	2.28	20	—	60	3
DA25097	2.29	20	—	60	3
DA25098	2.3	20	—	60	3
DA25099	2.31	20	—	60	3
DA25100	2.32	20	—	60	3
DA25101	2.33	20	—	60	3
DA25102	2.34	20	—	60	3
DA25103	2.35	20	—	60	3
DA25104	2.36	20	—	60	3
DA25105	2.37	20	—	60	3
DA25106	2.38	20	—	60	3
DA25107	2.39	20	—	60	3
DA25108	2.4	20	—	60	3
DA25109	2.41	20	—	60	3
DA25110	2.42	20	—	60	3
DA25111	2.43	20	—	60	3
DA25112	2.44	20	—	60	3
DA25113	2.45	20	—	60	3
DA25114	2.46	20	—	60	3
DA25115	2.47	20	—	60	3
DA25116	2.48	20	—	60	3
DA25117	2.49	20	—	60	3
DA25118	2.5	20	—	60	3

ツールNo.	刃径	刃長	首下	全長	シャンク径
Tool No.	Dia. of Mill	Length of Cut	Neck Length	Overall Length	Shank Dia.
DA25119	2.51	20	—	60	3
DA25120	2.52	20	—	60	3
DA25121	2.53	20	—	60	3
DA25122	2.54	20	—	60	3
DA25123	2.55	20	—	60	3
DA25124	2.56	20	—	60	3
DA25125	2.57	20	—	60	3
DA25126	2.58	20	—	60	3
DA25127	2.59	20	—	60	3
DA25128	2.6	20	—	60	3
DA25129	2.61	20	—	60	3
DA25130	2.62	20	—	60	3
DA25131	2.63	20	—	60	3
DA25132	2.64	20	—	60	3
DA25133	2.65	20	—	60	3
DA25134	2.66	20	—	60	3
DA25135	2.67	20	—	60	3
DA25136	2.68	20	—	60	3
DA25137	2.69	20	—	60	3
DA25138	2.7	20	—	60	3
DA25139	2.71	20	—	60	3
DA25140	2.72	20	—	60	3
DA25141	2.73	20	—	60	3
DA25142	2.74	20	—	60	3
DA25143	2.75	20	—	60	3
DA25144	2.76	20	—	60	3
DA25145	2.77	20	—	60	3
DA25146	2.78	20	—	60	3
DA25147	2.79	20	—	60	3
DA25148	2.8	20	—	60	3
DA25149	2.81	20	—	60	3
DA25150	2.82	20	—	60	3
DA25151	2.83	20	—	60	3
DA25152	2.84	20	—	60	3
DA25153	2.85	20	—	60	3
DA25154	2.86	20	—	60	3
DA25155	2.87	20	—	60	3
DA25156	2.88	20	—	60	3
DA25157	2.89	20	—	60	3
DA25158	2.9	25	—	65	3
DA25159	2.91	25	—	65	3
DA25160	2.92	25	—	65	3
DA25161	2.93	25	—	65	3
DA25162	2.94	25	—	65	3
DA25163	2.95	25	—	65	3
DA25164	2.96	25	—	65	3
DA25165	2.97	25	—	65	3
DA25166	2.98	25	—	65	3
DA28272	2.985	25	—	65	3
DA25167	2.99	25	—	65	3
DA28273	2.995	25	—	65	3
DA25168	3	30	40	70	3
DA28274	3.005	30	40	70	3
DA25169	3.01	30	40	70	3
DA28275	3.015	30	40	70	3
DA25170	3.02	30	40	70	3
DA25171	3.03	30	40	70	3
DA25172	3.04	30	40	70	3
DA25173	3.05	30	40	70	3
DA25174	3.06	30	40	70	3

ツールNo.	刃径	刃長	首下	全長	シャンク径
Tool No.	Dia. of Mill	Length of Cut	Neck Length	Overall Length	Shank Dia.
DA25175	3.07	30	40	70	3
DA25176	3.08	30	40	70	3
DA25177	3.09	30	40	70	3
DA25178	3.1	30	40	70	3
DA25179	3.11	30	40	70	3
DA25180	3.12	30	40	70	3
DA25181	3.13	30	40	70	3
DA25182	3.14	30	40	70	3
DA25183	3.15	30	40	70	3
DA25184	3.16	30	40	70	3
DA25185	3.17	30	40	70	3
DA25186	3.18	30	40	70	3
DA25187	3.19	30	40	70	3
DA25188	3.2	30	40	70	3
DA25189	3.21	30	40	70	3
DA25190	3.22	30	40	70	3
DA25191	3.23	30	40	70	3
DA25192	3.24	30	40	70	3
DA25193	3.25	30	40	70	3
DA25194	3.26	30	40	70	3
DA25195	3.27	30	40	70	3
DA25196	3.28	30	40	70	3
DA25197	3.29	30	40	70	3
DA25198	3.3	30	40	70	3
DA25199	3.31	30	40	70	3
DA25200	3.32	30	40	70	3
DA25201	3.33	30	40	70	3
DA25202	3.34	30	40	70	3
DA25203	3.35	30	40	70	3
DA25204	3.36	30	40	70	3
DA25205	3.37	30	40	70	3
DA25206	3.38	30	40	70	3
DA25207	3.39	30	40	70	3
DA25208	3.4	30	40	70	3
DA25209	3.41	30	40	70	3
DA25210	3.42	30	40	70	3
DA25211	3.43	30	40	70	3
DA25212	3.44	30	40	70	3
DA25213	3.45	30	40	70	3
DA25214	3.46	30	40	70	3
DA25215	3.47	30	40	70	3
DA25216	3.48	30	40	70	3
DA25217	3.49	30	40	70	3
DA25218	3.5	30	40	70	3
DA25219	3.51	30	40	70	3
DA25220	3.52	30	40	70	3
DA25221	3.53	30	40	70	3
DA25222	3.54	30	40	70	3
DA25223	3.55	30	40	70	3
DA25224	3.56	30	40	70	3
DA25225	3.57	30	40	70	3
DA25226	3.58	30	40	70	3
DA25227	3.59	30	40	70	3
DA25228	3.6	30	40	70	3
DA25229	3.61	30	40	70	3
DA25230	3.62	30	40	70	3
DA25231	3.63	30	40	70	3
DA25232	3.64	30	40	70	3
DA25233	3.65	30	40	70	3
DA25234	3.66	30	40	70	3



第一ツール
DAIICHI TOOL

NCr

NC用リーマ

NCr Reamers

ハイス

ノンコート

コーティング

HSS-CO

TiN

ツールNo.	刃径	刃長	首下	全長	シャンク径
Tool No.	Dia. of Mill	Length of Cut	Neck Length	Overall Length	Shank Dia.
DA25235	3.67	30	40	70	3
DA25236	3.68	30	40	70	3
DA25237	3.69	30	40	70	3
DA25238	3.7	30	40	70	3
DA25239	3.71	30	40	70	3
DA25240	3.72	30	40	70	3
DA25241	3.73	30	40	70	3
DA25242	3.74	30	40	70	3
DA25243	3.75	30	40	70	3
DA25244	3.76	30	40	70	3
DA25245	3.77	30	40	70	3
DA25246	3.78	30	40	70	3
DA25247	3.79	30	40	70	3
DA25248	3.8	30	40	70	3
DA25249	3.81	30	40	70	3
DA25250	3.82	30	40	70	3
DA25251	3.83	30	40	70	3
DA25252	3.84	30	40	70	3
DA25253	3.85	30	40	70	3
DA25254	3.86	30	40	70	3
DA25255	3.87	30	40	70	3
DA25256	3.88	30	40	70	3
DA25257	3.89	30	40	70	3
DA25258	3.9	30	40	70	3
DA25259	3.91	30	40	70	3
DA25260	3.92	30	40	70	3
DA25261	3.93	30	40	70	3
DA25262	3.94	30	40	70	3
DA25263	3.95	30	40	70	3
DA25264	3.96	30	40	70	3
DA25265	3.97	30	40	70	3
DA25266	3.98	30	40	70	3
DA28276	3.985	30	40	70	3
DA25267	3.99	30	40	70	3
DA28277	3.995	30	40	70	3
DA25268	4	30	40	70	3
DA28278	4.005	30	40	70	3
DA25269	4.01	30	40	70	3
DA28279	4.015	30	40	70	3
DA25270	4.02	30	40	70	3
DA25271	4.03	30	40	70	3
DA25272	4.04	30	40	70	3
DA25273	4.05	30	40	70	3
DA25274	4.06	30	40	70	3
DA25275	4.07	30	40	70	3
DA25276	4.08	30	40	70	3
DA25277	4.09	30	40	70	3
DA25278	4.1	30	40	70	3
DA25279	4.11	30	40	70	4
DA25280	4.12	30	40	70	4
DA25281	4.13	30	40	70	4
DA25282	4.14	30	40	70	4
DA25283	4.15	30	40	70	4
DA25284	4.16	30	40	70	4
DA25285	4.17	30	40	70	4
DA25286	4.18	30	40	70	4
DA25287	4.19	30	40	70	4
DA25288	4.2	30	40	70	4
DA25289	4.21	30	40	70	4
DA25290	4.22	30	40	70	4

ツールNo.	刃径	刃長	首下	全長	シャンク径
Tool No.	Dia. of Mill	Length of Cut	Neck Length	Overall Length	Shank Dia.
DA25291	4.23	30	40	70	4
DA25292	4.24	30	40	70	4
DA25293	4.25	30	40	70	4
DA25294	4.26	30	40	70	4
DA25295	4.27	30	40	70	4
DA25296	4.28	30	40	70	4
DA25297	4.29	30	40	70	4
DA25298	4.3	30	40	70	4
DA25299	4.31	30	40	70	4
DA25300	4.32	30	40	70	4
DA25301	4.33	30	40	70	4
DA25302	4.34	30	40	70	4
DA25303	4.35	30	40	70	4
DA25304	4.36	30	40	70	4
DA25305	4.37	30	40	70	4
DA25306	4.38	30	40	70	4
DA25307	4.39	30	40	70	4
DA25308	4.4	30	40	70	4
DA25309	4.41	30	40	70	4
DA25310	4.42	30	40	70	4
DA25311	4.43	30	40	70	4
DA25312	4.44	30	40	70	4
DA25313	4.45	30	40	70	4
DA25314	4.46	30	40	70	4
DA25315	4.47	30	40	70	4
DA25316	4.48	30	40	70	4
DA25317	4.49	30	40	70	4
DA25318	4.5	30	40	70	4
DA25319	4.51	30	40	70	4
DA25320	4.52	30	40	70	4
DA25321	4.53	30	40	70	4
DA25322	4.54	30	40	70	4
DA25323	4.55	30	40	70	4
DA25324	4.56	30	40	70	4
DA25325	4.57	30	40	70	4
DA25326	4.58	30	40	70	4
DA25327	4.59	30	40	70	4
DA25328	4.6	30	40	70	4
DA25329	4.61	30	40	70	4
DA25330	4.62	30	40	70	4
DA25331	4.63	30	40	70	4
DA25332	4.64	30	40	70	4
DA25333	4.65	30	40	70	4
DA25334	4.66	30	40	70	4
DA25335	4.67	30	40	70	4
DA25336	4.68	30	40	70	4
DA25337	4.69	30	40	70	4
DA25338	4.7	30	40	70	4
DA25339	4.71	30	40	70	4
DA25340	4.72	30	40	70	4
DA25341	4.73	30	40	70	4
DA25342	4.74	30	40	70	4
DA25343	4.75	30	40	70	4
DA25344	4.76	30	40	70	4
DA25345	4.77	30	40	70	4
DA25346	4.78	30	40	70	4
DA25347	4.79	30	40	70	4
DA25348	4.8	30	40	70	4
DA25349	4.81	30	40	70	4
DA25350	4.82	30	40	70	4

ツールNo.	刃径	刃長	首下	全長	シャンク径
Tool No.	Dia. of Mill	Length of Cut	Neck Length	Overall Length	Shank Dia.
DA25351	4.83	30	40	70	4
DA25352	4.84	30	40	70	4
DA25353	4.85	30	40	70	4
DA25354	4.86	30	40	70	4
DA25355	4.87	30	40	70	4
DA25356	4.88	30	40	70	4
DA25357	4.89	30	40	70	4
DA25358	4.9	30	40	70	4
DA25359	4.91	30	40	70	4
DA25360	4.92	30	40	70	4
DA25361	4.93	30	40	70	4
DA25362	4.94	30	40	70	4
DA25363	4.95	30	40	70	4
DA25364	4.96	30	40	70	4
DA25365	4.97	30	40	70	4
DA25366	4.98	30	40	70	4
DA25367	4.99	30	40	70	4
DA28280	4.985	30	40	70	4
DA25368	5	30	40	70	4
DA28281	4.995	30	40	70	4
DA28282	5.005	30	40	70	4
DA25369	5.01	30	40	70	4
DA28283	5.015	30	40	70	4
DA25370	5.02	30	40	70	4
DA25371	5.03	30	40	70	4
DA25372	5.04	30	40	70	4
DA25373	5.05	30	40	70	4
DA25374	5.06	30	40	70	4
DA25375	5.07	30	40	70	4
DA25376	5.08	30	40	70	4
DA25377	5.09	30	40	70	4
DA25378	5.1	30	40	70	4
DA25379	5.11	30	40	70	4
DA25380	5.12	30	40	70	4
DA25381	5.13	30	40	70	4
DA25382	5.14	30	40	70	4
DA25383	5.15	30	40	70	4
DA25384	5.16	30	40	70	4
DA25385	5.17	30	40	70	4
DA25386	5.18	30	40	70	4
DA25387	5.19	30	40	70	4
DA25388	5.2	30	40	70	4
DA25389	5.21	30	40	70	4
DA25390	5.22	30	40	70	4
DA25391	5.23	30	40	70	4
DA25392	5.24	30	40	70	4
DA25393	5.25	30	40	70	4
DA25394	5.26	30	40	70	4
DA25395	5.27	30	40	70	4
DA25396	5.28	30	40	70	4
DA25397	5.29	30	40	70	4
DA25398	5.3	30	40	70	4
DA25399	5.31	30	40	70	4
DA25400	5.32	30	40	70	4
DA25401	5.33	30	40	70	4
DA25402	5.34	30	40	70	4
DA25403	5.35	30	40	70	4
DA25404	5.36	30	40	70	4
DA25405	5.37	30	40	70	4
DA25406	5.38	30	40	70	4

ストレート
シャンク

テーパ
シャンク

直刃

スパイラル刃

ヘリカル刃

エンド刃付

テーパ刃

用途別



REAMERS

ハイス

ハンドリーマ

ハイス

第一ツール
DAIICHI TOOL

NCr

ハンコート

NC用リーマ

NCr Reamers

コーティング

HSS-CO

TiN

	ツールNo.						ツールNo.						ツールNo.					
	Tool No.	Dia. of Mill	Length of Cut	Neck Length	Overall Length	Shank Dia.	Tool No.	Dia. of Mill	Length of Cut	Neck Length	Overall Length	Shank Dia.	Tool No.	Dia. of Mill	Length of Cut	Neck Length	Overall Length	Shank Dia.
ストレートシャンク	DA25407	5.39	30	40	70	4	DA28284	5.985	30	40	70	5	DA25515	8.03	30	40	70	6
	DA25408	5.4	30	40	70	4	DA25467	5.99	30	40	70	5	DA25516	8.04	30	40	70	6
	DA25409	5.41	30	40	70	4	DA28285	5.995	30	40	70	5	DA25517	8.05	30	40	70	6
	DA25410	5.42	30	40	70	4	DA25468	6	30	40	70	5	DA25518	8.06	30	40	70	6
	DA25411	5.43	30	40	70	4	DA28286	6.005	30	40	70	5	DA25519	8.07	30	40	70	6
	DA25412	5.44	30	40	70	4	DA25469	6.01	30	40	70	5	DA25520	8.08	30	40	70	6
	DA25413	5.45	30	40	70	4	DA28287	6.015	30	40	70	5	DA25521	8.09	30	40	70	6
	DA25414	5.46	30	40	70	4	DA25470	6.02	30	40	70	5	DA25522	8.1	30	40	70	6
	DA25415	5.47	30	40	70	4	DA25471	6.03	30	40	70	5	DA25523	8.2	30	40	70	6
	DA25416	5.48	30	40	70	4	DA25472	6.04	30	40	70	5	DA25524	8.3	30	40	70	6
	DA25417	5.49	30	40	70	4	DA25473	6.05	30	40	70	5	DA25525	8.4	30	40	70	6
	DA25418	5.5	30	40	70	4	DA25474	6.06	30	40	70	5	DA25526	8.5	30	40	70	6
	DA25419	5.51	30	40	70	4	DA25475	6.07	30	40	70	5	DA25527	8.6	30	40	70	6
	DA25420	5.52	30	40	70	4	DA25476	6.08	30	40	70	5	DA25528	8.7	30	45	75	8
	DA25421	5.53	30	40	70	4	DA25477	6.09	30	40	70	5	DA25529	8.8	30	45	75	8
	DA25422	5.54	30	40	70	4	DA25478	6.1	30	40	70	5	DA25530	8.9	30	45	75	8
	DA25423	5.55	30	40	70	4	DA25479	6.2	30	40	70	5	DA25531	8.95	30	45	75	8
	DA25424	5.56	30	40	70	4	DA25480	6.3	30	40	70	5	DA25532	8.96	30	45	75	8
	DA25425	5.57	30	40	70	4	DA25481	6.4	30	40	70	5	DA25533	8.97	30	45	75	8
	DA25426	5.58	30	40	70	4	DA25482	6.5	30	40	70	5	DA25534	8.98	30	45	75	8
	DA25427	5.59	30	40	70	4	DA25483	6.6	30	40	70	5	DA28296	8.985	30	45	75	8
	DA25428	5.6	30	40	70	4	DA25484	6.7	30	40	70	6	DA25535	8.99	30	45	75	8
	DA25429	5.61	30	40	70	5	DA25485	6.8	30	40	70	6	DA28297	8.995	30	45	75	8
	DA25430	5.62	30	40	70	5	DA25486	6.9	30	40	70	6	DA25536	9	30	45	75	8
	DA25431	5.63	30	40	70	5	DA25487	6.95	30	40	70	6	DA28298	9.005	30	45	75	8
	DA25432	5.64	30	40	70	5	DA25488	6.96	30	40	70	6	DA25537	9.01	30	45	75	8
	DA25433	5.65	30	40	70	5	DA25489	6.97	30	40	70	6	DA28299	9.015	30	45	75	8
	DA25434	5.66	30	40	70	5	DA25490	6.98	30	40	70	6	DA25538	9.02	30	45	75	8
	DA25435	5.67	30	40	70	5	DA28288	6.985	30	40	70	6	DA25539	9.03	30	45	75	8
	DA25436	5.68	30	40	70	5	DA25491	6.99	30	40	70	6	DA25540	9.04	30	45	75	8
	DA25437	5.69	30	40	70	5	DA28289	6.995	30	40	70	6	DA25541	9.05	30	45	75	8
	DA25438	5.7	30	40	70	5	DA25492	7	30	40	70	6	DA25542	9.1	30	45	75	8
	DA25439	5.71	30	40	70	5	DA28290	7.005	30	40	70	6	DA25543	9.2	30	45	75	8
	DA25440	5.72	30	40	70	5	DA25493	7.01	30	40	70	6	DA25544	9.3	30	45	75	8
	DA25441	5.73	30	40	70	5	DA28291	7.015	30	40	70	6	DA25545	9.4	30	45	75	8
	DA25442	5.74	30	40	70	5	DA25494	7.02	30	40	70	6	DA25546	9.5	30	45	75	8
	DA25443	5.75	30	40	70	5	DA25495	7.03	30	40	70	6	DA25547	9.6	30	45	75	8
	DA25444	5.76	30	40	70	5	DA25496	7.04	30	40	70	6	DA25548	9.7	30	45	75	8
	DA25445	5.77	30	40	70	5	DA25497	7.05	30	40	70	6	DA25549	9.8	30	45	75	8
	DA25446	5.78	30	40	70	5	DA25498	7.1	30	40	70	6	DA25550	9.9	30	45	75	8
	DA25447	5.79	30	40	70	5	DA25499	7.2	30	40	70	6	DA25551	9.95	30	45	75	8
	DA25448	5.8	30	40	70	5	DA25500	7.3	30	40	70	6	DA25552	9.96	30	45	75	8
	DA25449	5.81	30	40	70	5	DA25501	7.4	30	40	70	6	DA25553	9.97	30	45	75	8
	DA25450	5.82	30	40	70	5	DA25502	7.5	30	40	70	6	DA25554	9.98	30	45	75	8
	DA25451	5.83	30	40	70	5	DA25503	7.6	30	40	70	6	DA28300	9.985	30	45	75	8
	DA25452	5.84	30	40	70	5	DA25504	7.7	30	40	70	6	DA25555	9.99	30	45	75	8
	DA25453	5.85	30	40	70	5	DA25505	7.8	30	40	70	6	DA28301	9.995	30	45	75	8
	DA25454	5.86	30	40	70	5	DA25506	7.9	30	40	70	6	DA25556	10	30	45	75	8
	DA25455	5.87	30	40	70	5	DA25507	7.95	30	40	70	6	DA28302	10.005	30	45	75	8
	DA25456	5.88	30	40	70	5	DA25508	7.96	30	40	70	6	DA25557	10.01	30	45	75	8
	DA25457	5.89	30	40	70	5	DA25509	7.97	30	40	70	6	DA28303	10.015	30	45	75	8
	DA25458	5.9	30	40	70	5	DA25510	7.98	30	40	70	6	DA25558	10.02	30	45	75	8
	DA25459	5.91	30	40	70	5	DA28292	7.985	30	40	70	6	DA25559	10.03	30	45	75	8
	DA25460	5.92	30	40	70	5	DA25511	7.99	30	40	70	6	DA25560	10.04	30	45	75	8
	DA25461	5.93	30	40	70	5	DA28293	7.995	30	40	70	6	DA25561	10.05	30	45	75	8
	DA25462	5.94	30	40	70	5	DA25512	8	30	40	70	6	DA25562	10.06	30	45	75	8
	DA25463	5.95	30	40	70	5	DA28294	8.005	30	40	70	6	DA25563	10.07	30	45	75	8
	DA25464	5.96	30	40	70	5	DA25513	8.01	30	40	70	6	DA25564	10.08	30	45	75	8
	DA25465	5.97	30	40	70	5	DA28295	8.015	30	40	70	6	DA25565	10.09	30	45	75	8
	DA25466	5.98	30	40	70	5	DA25514	8.02	30	40	70	6	DA25566	10.1	30	45	75	8



第一ツール
DAIICHI TOOL

NCr

NC用リーマ

NCr Reamers

HSS-CO

TiN

ツールNo.	刃径	刃長	首下	全長	シャンク径
Tool No.	Dia. of Mill	Length of Cut	Neck Length	Overall Length	Shank Dia.
DA25567	10.2	30	45	75	8
DA25568	10.3	30	45	75	8
DA25569	10.4	30	45	75	8
DA25570	10.5	30	45	75	8
DA25571	10.6	30	45	75	8
DA25572	10.7	35	50	80	10
DA25573	10.8	35	50	80	10
DA25574	10.9	35	50	80	10
DA25575	11	35	50	80	10
DA25576	11.01	35	50	80	10
DA25577	11.02	35	50	80	10
DA25578	11.03	35	50	80	10
DA25579	11.04	35	50	80	10
DA25580	11.05	35	50	80	10
DA25581	11.1	35	50	80	10
DA25582	11.2	35	50	80	10
DA25583	11.3	35	50	80	10
DA25584	11.4	35	50	80	10
DA25585	11.5	35	50	80	10
DA25586	11.6	35	50	80	10
DA25587	11.7	35	50	80	10
DA25588	11.8	35	50	80	10
DA25589	11.9	35	50	80	10
DA25590	11.98	35	50	80	10
DA25591	11.99	35	50	80	10
DA25592	12	35	50	80	10
DA25593	12.01	35	50	80	10
DA25594	12.02	35	50	80	10
DA25595	12.03	35	50	80	10
DA25596	12.04	35	50	80	10
DA25597	12.05	35	50	80	10
DA25598	13	35	50	90	12
DA25723	13.01	35	50	90	12
DA25724	13.02	35	50	90	12
DA25725	13.03	35	50	90	12
DA25726	13.04	35	50	90	12
DA25727	13.05	35	50	90	12
DA25599	14	35	50	90	12
DA25728	14.01	35	50	90	12
DA25729	14.02	35	50	90	12
DA25730	14.03	35	50	90	12
DA25600	15	35	50	90	12
DA25731	15.01	35	50	90	12
DA25732	15.02	35	50	90	12
DA25733	15.03	35	50	90	12
DA25601	16	35	50	90	12
DA25734	16.01	35	50	90	12
DA25735	16.02	35	50	90	12
DA25736	16.03	35	50	90	12
DA25602	17	40	55	100	16
DA25737	17.01	40	55	100	16
DA25738	17.02	40	55	100	16
DA25739	17.03	40	55	100	16
DA25603	18	40	55	100	16
DA25740	18.01	40	55	100	16
DA25741	18.02	40	55	100	16
DA25742	18.03	40	55	100	16
DA25604	19	40	55	100	16
DA25743	19.01	40	55	100	16
DA25744	19.02	40	55	100	16

栄工舎
EIKOSHA

MCR-TiN

マシンチャッキングリーマ

Machine Chucking Reamers



HSS-CO

TiN

許容差

刃径公差 m5 (0.01とびは+0.005~0)

ツールNo.	刃径	刃長	首下	全長	シャンク径
Tool No.	Dia. of Mill	Length of Cut	Neck Length	Overall Length	Shank Dia.
DA25745	19.03	40	55	100	16
DA25605	20	40	55	100	16
DA25746	20.01	40	55	100	16
DA25747	20.02	40	55	100	16
DA25748	20.03	40	55	100	16

ツールNo.	刃径	刃長	全長	シャンク径	刃数
Tool No.	Dia. of Mill	Length of Cut	Overall Length	Shank Dia.	Number of Flutes
EI36468	1.95	11	50	2	4
EI36469	1.96	11	50	2	4
EI36470	1.97	11	50	2	4
EI36471	1.98	11	50	2	4
EI36472	1.99	11	50	2	4
EI36473	2	11	50	2	4
EI36474	2.01	11	50	2	4
EI36475	2.02	11	50	2	4
EI36476	2.03	11	50	2	4
EI36477	2.04	11	50	2	4
EI36478	2.05	11	50	2	4
EI36479	2.1	11	50	2	4
EI36480	2.2	15	60	3	4
EI36481	2.3	15	60	3	4
EI36482	2.4	15	60	3	4
EI36483	2.5	15	60	3	4
EI36484	2.6	15	60	3	4
EI36485	2.7	15	60	3	4
EI36486	2.8	15	60	3	4
EI36487	2.9	15	60	3	4
EI36488	2.95	15	60	3	4
EI36489	2.96	15	60	3	4
EI36490	2.97	15	60	3	4
EI36491	2.98	15	60	3	4
EI36492	2.99	15	60	3	4
EI36493	3	15	60	3	4
EI36494	3.01	15	60	3	4
EI36495	3.02	15	60	3	4
EI36496	3.03	15	60	3	4
EI36497	3.04	15	60	3	4
EI36498	3.05	15	60	3	4
EI36499	3.1	18	70	4	6
EI36500	3.2	18	70	4	6
EI36501	3.3	18	70	4	6
EI36502	3.4	18	70	4	6
EI36503	3.5	18	70	4	6
EI36504	3.6	18	70	4	6
EI36505	3.7	18	70	4	6
EI36506	3.8	18	70	4	6
EI36507	3.9	18	70	4	6
EI36508	3.95	18	70	4	6
EI36509	3.96	18	70	4	6
EI36510	3.97	18	70	4	6
EI36511	3.98	18	70	4	6
EI36512	3.99	18	70	4	6
EI36513	4	18	70	4	6
EI36514	4.01	18	70	4	6
EI36515	4.02	18	70	4	6
EI36516	4.03	18	70	4	6
EI36517	4.04	18	70	4	6
EI36518	4.05	18	70	4	6
EI36519	4.1	18	70	4	6
EI36520	4.2	18	70	4	6
EI36521	4.3	18	70	4	6
EI36522	4.4	18	70	4	6
EI36523	4.5	23	80	5	6
EI36524	4.6	23	80	5	6
EI36525	4.7	23	80	5	6
EI36526	4.8	23	80	5	6
EI36527	4.9	23	80	5	6

ハイス

ノンコート

コーティング

ストレート
シャンク

テーパ
シャンク

直刃

スパイラル刃

ヘリカル刃

エンド刃付

テーパ刃

用途別